




















# Board Stack Report

Stack Up		Layer Stack			
Layer	Board Layer Stack	Name	Material	Thickness	Constant
1		Top Overlay		0mil	
2		Top Solder	Solder Resist	0.709mil	3.5
3		Top Layer		2.756mil	
4		Dielectric 1	FR-370	5mil	4.2
5		Mid-Layer 1		5.512mil	
6		Dielectric 2	FR-370	4.016mil	4.2
7		Mid-Layer 2		5.512mil	
8		Dielectric 3	FR-370	5mil	4.2
9		Mid-Layer 3		2.756mil	
10		Dielectric 4	FR-370	4.016mil	4.2
11		Mid-layer 4		2.756mil	
12		Dielectric 5	FR-370	5mil	4.2
13		Mid-Layer 5		5.512mil	
14		Dielectric 6	FR-370	4.016mil	4.2
15		Mid-Layer 6		5.512mil	
16		Dielectric 7	FR-370	5mil	4.2
17		Bottom Layer		2.756mil	
18		Bottom Solder	Solder Resist	0.709mil	3.5
19		Bottom Overlay		0mil	
	Height : 66.535mil				